

3 YEARS
WARRANTY

3 CCT
CHANGEABLE

6500K 4000K 3000K



VIDEO



COB84

7W

specification

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB84 7W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	Shinny White
LIGHT SOURCE :	COB
LUMEN :	80 LM/W
BEAM ANGLE :	90°
PRODUCT SIZE :	93*45mm
CUT OUT :	85mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel..etc.
WARRANTY :	3 years
STANDARD :	CE

Color Temperature:

6500-4000K-3000K (3CCT) Changeable




7W

LUMINAIRE PHOTOMETRIC TEST REPORT


NAME: COB84 LED Downlight	TYPE:	WEIGHT:0.15g
SPEC.: 7W	DIM.:	SERIAL No.:
MFR.: NEXLEDS	SUR.:52	Shielding Angle:

DATA OF LAMP		PHOTOMETRIC DATA			
MODEL	COB84 7W	Imax (cd)	184.4	S/MH (C0/180)	1.09
NOMINAL POWER (W)	7	LOR (%)	100.0	S/MH (C90/270)	1.09
RATED VOLTAGE (V)	220	TOTAL FLUX (lm)	345.49	η UP, DN (C0-180)	2.0,47.7
NOMINAL FLUX (lm)	345.459	CIE CLASS	DIRECT	η UP, DN (C180-360)	1.5,48.7
LAMPS INSIDE	1	η up (%)	3.5	CIBSE SHR NOM	1.00
TEST VOLTAGE (V)	220	η down (%)	96.5	CIBSE SHR MAX	1.15

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



C0 PLANE ISOLUX DIAGRAM (UNIT:lx)



C Range: 0 - 360DEG
 C Interval: 22.5DEG
 Test Speed: MEDIUM
 Temperature:28DEG
 Operators:JACK
 Test Date:22 September 2023

γ Range: 0 - 180DEG
 γ Interval: 0.5DEG
 Test System:EVERFINE GO-2000B_V1 SYSTEM V2.0.407.13
 Humidity:63.0%
 Test Distance:11.565m [K=1.0000]
 Remarks:



JOIN US ON OUR FACEBOOK PAGE +

NEXTLITE PRODUCTS




7W

AAI FIGURE

NAME: COB84 LED Downlighgt	TYPE:	WEIGHT:0.15g
SPEC.: 7W	DIM.:	SERIAL No.:
MFR.: NEXLEDS	SUR.:52	Shielding Angle:

Flux out:212.9 lm



Height Eavg, Emax Angle:82.57deg Diameter

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

C Range: 0 - 360DEG
C Interval: 22.5DEG
Test Speed: MEDIUM
Temperature: 28DEG
Operators: JACK
Test Date: 22 September 2023

γ Range: 0 - 180DEG
γ Interval: 0.5DEG
Test System: EVERFINE GO-2000B_V1 SYSTEM V2.0.407.13
Humidity: 63.0%
Test Distance: 11.565m [K=1.0000]
Remarks:



JOIN US ON OUR
FACEBOOK PAGE +

NEXLITE PRODUCTS