



VIDEO



**VANITY LIGHT**

**18W**

**specification**

Product Name :	VANITY LIGHT
Model No. :	NX-MFPL1-0606S-L600-18W
Specification :	AC220-240V, 50/60Hz, 135mA, 18W
Working Temp :	-10~40(°C)
Power Factor :	0.5
CRI(ra) :	80
Body Color :	White
Light Source :	SMD Chip
Lumen :	100-110LM/W
Life Time :	25000 hrs
Beam Angle :	120°
Product Size :	590*60*50mm
IP :	IP40
Application :	Home, Shop, Hotel...etc
Warranty :	2 years
Standard :	CE

**Color Temperature:**

**3000K / 4000K / 6500K**







# 18W

## LUMINAIRE PHOTOMETRIC TEST REPORT

Test:U:230.24V I:0.137A P:18.49W PF:0.5853 Freq:49.99Hz Lamp Flux:1619.65x1 lm		
NAME: VANITY LIGHT	TYPE:LED	WEIGHT:
SPEC.: NX-MFPL1-0606S-L600-18W	DIM.:	SERIAL No.:
MFR.: NEXLEDS	SUR.:	Shielding Angle:

DATA OF LAMP		PHOTOMETRIC DATA			
MODEL	NX-MFPL1-0606S-L600-18W-30K	Imax (cd)	546.6	S/MH (C0/180)	1.27
NOMINAL POWER (W)	18	LOR (%)	125.8	S/MH (C90/270)	1.32
RATED VOLTAGE (V)	230	TOTAL FLUX (lm)	2037.4	$\eta$ UP, DN (C0-180)	5.6, 56.9
NOMINAL FLUX (lm)	1619.65	CIE CLASS	DIRECT	$\eta$ UP, DN (C180-360)	5.7, 57.6
LAMPS INSIDE	1	$\eta$ up (%)	11.3	CIBSE SHR NOM	1.50
TEST VOLTAGE (V)	230	$\eta$ down (%)	114.5	CIBSE SHR MAX	1.50



C Range: 0 - 360DEG  
C Interval: 90.0DEG  
Test Speed: HIGH  
Temperature: 25.3DEG  
Operators: NEXLEDS  
Test Date: 2022-04-04

$\gamma$  Range: 0 - 180DEG  
 $\gamma$  Interval: 1.0DEG  
Test System: EVERFINE GO-2000A\_V1 SYSTEM V2.0.366  
Humidity: 60%  
Test Distance: 7.630m [K=1.0000]  
Remarks:



JOIN US ON OUR  
FACEBOOK PAGE +

NEXTLITE PRODUCTS




# 18W

## AAI FIGURE

Test:U:230.24V I:0.137A P:18.49W PF:0.5853 Freq:49.99Hz Lamp Flux:1619.65x1 lm		
NAME: VANITY LIGHT	TYPE:LED	WEIGHT:
SPEC.: NX-MFPL1-0606S-L600-18W	DIM.:	SERIAL No.:
MFR.: NEXLEDS	SUR.:	Shielding Angle:

Flux out:1215 lm



Height Eavg, Emax Angle:113.40deg Diameter

**Note:**The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

C Range: 0 - 360DEG  
C Interval: 90.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators: NEXLEDS  
Test Date:2022-04-04

$\gamma$  Range: 0 - 180DEG  
 $\gamma$  Interval: 1.0DEG  
Test System:EVERFINE GO-2000A\_V1 SYSTEM V2.0.366  
Humidity:60%  
Test Distance:7.630m [K=1.0000]  
Remarks:



JOIN US ON OUR FACEBOOK PAGE +

NEXTLITE PRODUCTS