

SPECIFICATION

NEXLEDS[®]
NEXLEDS LTD



Sensor




Solar LED Downwash Light

NX-410S-2W-C

Specification:

Product Model	NX-410S-2W-C
Power	2W
Solar Panel	1.0Wp, polished. Mono-crystalline silicone
Charging Time	5-6Hrs/Day.
LED Type	SMD 2835*18pcs
Surface Color	Black
IP Class	IP65 directional
Housing Material	ABS+PC, Anti-UV
Overall Dimension	158.5*152*123.5mm
Lumen	200lm
Battery	1200mAH/3.7V Lithium battery
Working Time	3 different lighting modes
PIR sensing Range	Detection angle: 120°.Detection area: 2-6m
Beam angle	120°
Humidity	5%~95% R.H.

Dimension:




Feature:

- 1.Exclusive patented product, global patent protected.
- 2.Unique appearance with compact structure, fashion & modern type, durable for long time use.
- 3.Battery can easily replaced, worry-free to use long time.
- 4.Adopt special polished mono-crystalline silicon solar panel, 18.5% efficiency, fast light absorption, 20 years lifespan.
- 5.Lithium battery, big capacity 1200mAH, 3.7V, 500 charge-discharge cycles, ensure long lifespan.
- 6.LM-80 passed SMD LEDs, highly bright, long-lasting light maintenance.
- 7.ABS+PC materials, anti-UV, anti-water, anti-oil, fire-proof, delicate and upscale for your decoration.
- 8.Adopt milky transparent PC cover, bring soft and even light.
- 9.Intelligent PIR sensor, wide detection angle and area, light up smartly when you need light.
- 10.IP65 directional, safe to use outdoor.





Installation:



- ① Pls use the Measure Card to measure hole position correctly and drill 2 holes.
- ② Fix 2 expansion plugs into the holes.
- ③-④ Fix the lamp base tightly with screw.
- ⑤ Press the back button to switch on lamp, adjust to the demanded working mode.
- ⑥-⑦ Insert the lamp to the base.

Working Modes:



Mode A: Automatically turns on at the dusk (<30 lux) and remains 20% bright, up to 5 hours after which it turns off.



Mode B: Automatically turns on to full brightness (200lm) when motion is detected in the range 2-6 mtrs and then turns to 3% brightness in 20 seconds of no motion.



Mode C: Automatically turns on to full brightness (200lm) when motion is detected in the range 2-6 mtrs and then turns off in 30 seconds of no motion.

Pls press the Button to adjust to different working mode:
Press 1st time for Mode A. Press 2nd time for Mode B.
Press 3rd time for Mode C. Press 4th time for off.

Applications:

All the area inconvenient in electricity but full of sunlight such as Balcony, Windows, Gate, Wall, Porch, Passage, Alley, Pavilions, Buildings, Block, Outdoor garden decoration, Country lane, Swimming Pool, School, Park etc.



Remark:

1. Please follow the installation instruction to operate correctly.
2. This is a solar powered lamp, please install it in a location where can get enough sunshine.
3. Lamp need to be installed 2-4Mtr from the ground.
4. The lamp will light up when the environmental brightness is less than 30lux.
5. Please kindly note the lighting time depends on sunshine duration and weather.
6. Please recycle the used batteries for environment protection.

