

LED RECESSED DOWNLIGHTS



ECO COB DOWNLIGHT

ECO-3CCT

Color Temperature:



3
YEARS
WARRANTY

20W



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	ECO-3CCT 20W
SPECIFICATION :	AC220-240V, 50-60Hz, 20W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Silver/Golden/White+Silver/Gold+Silver/Black+Silver
LIGHT SOURCE :	COB Chip
LUMEN :	90 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	20°
PRODUCT SIZE :	140*100mm
CUTOUT :	130mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE


METRO COB96-R

Color Temperature:



5
YEARS
WARRANTY

12W



SPECIFICATION

PRODUCT NAME :	METRO LED DOWNLIGHT
MODEL NO. :	COB96-R 12W
SPECIFICATION :	AC220-240V, 50-60Hz, 12W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+White/White+Gun metal
LIGHT SOURCE :	COB
LUMEN :	50000 hrs
LIFE TIME :	90 LM/W
BEAM ANGLE :	24°
PRODUCT SIZE :	85*50mm
CUTOUT :	75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	5 years
STANDARD :	CE



5 YEARS
WARRANTY

MAYBACH COB53

Color Temperature:



SPECIFICATION

PRODUCT NAME :	MAYBACH LED DOWNLIGHT
MODEL NO. :	COB53 10W
SPECIFICATION :	AC220-240V, 50-60Hz, 10W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	White+Sand Black, Black+Sand Black
LIGHT SOURCE :	COB
LUMEN :	90 LM/W
LIFE TIME :	50,000hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	100*80mm
CUTOUT :	75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel..etc
WARRANTY :	5 years
STANDARD :	CE

VIDEO



5 YEARS
WARRANTY

ALPS COB91

Color Temperature:



SPECIFICATION

PRODUCT NAME :	ALPS LED DOWNLIGHT
MODEL NO. :	COB91 10W
SPECIFICATION :	AC220-240V, 50-60Hz, 10W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	GRAY+WHITE+GUN METAL
LIGHT SOURCE :	COB
LUMEN :	90 LM/W
LIFE TIME :	24°
BEAM ANGLE :	90°56mm
PRODUCT SIZE :	75mm
CUTOUT :	IP20
IP :	Home, Shop, Hotel..etc.
APPLICATION :	50,000Hrs
WARRANTY :	5 years
STANDARD :	CE

VIDEO



COB64

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB64-R 12W / COB64-S 12W COB64 12W*2 / COB64 12W*3
SPECIFICATION :	AC220-240V, 50-60Hz, 12W
WORKING TEMP :	-20 ~ 50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	Black+Black
LIGHT SOURCE :	COB
LUMEN :	90 LM/W
LIFE TIME :	50,000hrs
BEAM ANGLE :	36°
PRODUCT SIZE :	89*105mm/89*89*105mm/170*89*105mm/250*89*105mm
CUTOUT :	76mm/76*76mm/156*76mm/236*76mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel..etc.
WARRANTY :	5 years
STANDARD :	CE

5 YEARS
WARRANTY



VIDEO



5 YEARS
WARRANTY

ROMAN COB92

Color Temperature:



SPECIFICATION

PRODUCT NAME :	ROMAN LED DOWNLIGHT
MODEL NO. :	COB92 12W
SPECIFICATION :	AC220-240V, 50-60Hz, 12W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	WHITE+MATT BLACK
LIGHT SOURCE :	COB
LUMEN :	90 LM/W
LIFE TIME :	24°
BEAM ANGLE :	85°78mm
PRODUCT SIZE :	75mm
CUTOUT :	IP20
IP :	Home, Shop, Hotel..etc.
APPLICATION :	50,000Hrs
WARRANTY :	5 years
STANDARD :	CE

VIDEO



LONGINES DL54

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LONGINES LED DOWNLIGHT
MODEL NO. :	DL54 7W/9W/18W/24W/36W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W/9W/18W/24W/36W
WORKING TEMP :	-20 ~ 50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+Silver/White+Shiny Black/White+Rose Gold Black+Silver/Black+Shiny Black/Black+Rose Gold
LIGHT SOURCE :	SMD
LUMEN :	90 LM/W
LIFE TIME :	50,000Hrs
BEAM ANGLE :	100 °
PRODUCT SIZE :	100*43mm/120*43mm/175*50mm/197*50mm/230*55mm
CUTOUT :	75mm/90mm/140mm/160mm/190mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	5 years
STANDARD :	CE

5 YEARS
WARRANTY


7W 9W 18W 24W 36W

VIDEO



SUNFLOWER COB40

Color Temperature:



SPECIFICATION

PRODUCT NAME :	SUNFLOWER LED DOWNLIGHT
MODEL NO. :	COB40 7W/10W/20W/35W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W/10W/20W/35W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	7W/10/20W>0.6, 35W>0.9
CRI(RA) :	7W/10W/20W>80, 35W>90
COLOR :	White
LIGHT SOURCE :	COB
LUMEN :	120 LM/W
LIFE TIME :	50,000Hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	88*40mm/120*45mm/166*45mm/223*46mm
CUTOUT :	75mm/100mm/140mm/200mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	5 years
STANDARD :	CE

5 YEARS
WARRANTY

7W 10W 20W 35W

VIDEO



LOTUS COB65

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LOTUS LED DOWNLIGHT
MODEL NO. :	COB65 10W
SPECIFICATION :	AC220-240V, 50-60Hz, 10W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	White+White/White+Black
LIGHT SOURCE :	COB
LUMEN :	90 LM/W
LIFE TIME :	60 °
BEAM ANGLE :	84*60mm
PRODUCT SIZE :	75mm
CUTOUT :	IP20
IP :	Home, Shop, Hotel, etc.
APPLICATION :	50,000Hrs
WARRANTY :	5 years
STANDARD :	CE

5 YEARS
WARRANTY

10W

VIDEO



GENERAL COB47

Color Temperature:



SPECIFICATION

PRODUCT NAME :	GENERAL LED DOWNLIGHT
MODEL NO. :	COB47 5W
SPECIFICATION :	AC220-240V, 50-60Hz, 5W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	White+White/Black+Black
LIGHT SOURCE :	COB
LUMEN :	90 LM/W
LIFE TIME :	24 °
BEAM ANGLE :	65*77mm
PRODUCT SIZE :	55mm
CUTOUT :	IP20
IP :	Home, Shop, Hotel, etc.
APPLICATION :	50,000Hrs
WARRANTY :	5 years
STANDARD :	CE

5 YEARS
WARRANTY

5W

VIDEO





3
YEARS
WARRANTY

7W

BEAM ANGLE : 20°

VIDEO



ZM031-3CCT

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	ZM031-3CCT 7W
SPECIFICATION :	AC200-240V, 50-60Hz ; 7W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+Black / Chrome+Black / Rose Gd+Black / Gold+Black / Black+White / Chrome+White / Rose Gd+White / Gold+White
LIGHT SOURCE :	COB Chip
LUMEN :	85 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	20 °
PRODUCT SIZE :	90*65mm
CUTOUT :	72mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years
STANDARD :	CE

ZM032-3CCT

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	ZM032-3CCT 7W
SPECIFICATION :	AC200-240V, 50-60Hz ; 7W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Chrome+White / Gold+White / Rose GD+ White / Copper+White
LIGHT SOURCE :	COB Chip
LUMEN :	85 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	95*70mm
CUTOUT :	72mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years
STANDARD :	CE

COB67-3CCT

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB67-3CCT 7W/12W
SPECIFICATION :	AC220-240V, 50-60Hz ; 7W / 12W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+Rose Gd / White+Black / White+Chrome
LIGHT SOURCE :	COB Chip
LUMEN :	80LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	85*74mm / 108*84mm
CUTOUT :	65mm / 88mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel... etc
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY

7W

12W

BEAM ANGLE : 24°

VIDEO



ROOSO COB51

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	ROOSO LED DOWNLIGHT
MODEL NO. :	COB51 7W/12W
SPECIFICATION :	AC220-240V, 50-60Hz ; 7W/12W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Pearl Silver+Gold / Pearl Silver+Chrome / Gun metal+Chrome / Gold+Chrome
LIGHT SOURCE :	COB Chip
LUMEN :	90 LM/W
BEAM ANGLE :	90°
PRODUCT SIZE :	105*45mm/135*50mm
CUTOUT :	80mm/110mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	5 years
STANDARD :	CE



5
YEARS
WARRANTY

7W

12W

BEAM ANGLE : 90°

VIDEO





3 YEARS
WARRANTY

5W 7W 12W

BEAM ANGLE : 90°

VIDEO




COLLORI


LED DOWNLIGHT

COB38-3CCT

Color Temperature:



3 CCT CHANGEABLE
Flip switch to change 3 CCT



IP20

SPECIFICATION

PRODUCT NAME :	COLLORI LED DOWNLIGHT
MODEL NO. :	COB38-3CCT 5W/7W/12W
SPECIFICATION :	AC200-240V, 50-60Hz ; 5W/7W/12W
WORKING TEMP. :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Brass / Bronze / Pearl Silver / Gun-metal
LIGHT SOURCE :	COB Chip
LUMEN :	90 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	90 °
PRODUCT SIZE :	90*45mm / 105*45mm / 135*50mm
CUTOUT :	70mm / 80mm / 110mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

PONTE

DL31-3CCT

Color Temperature:



3 CCT CHANGEABLE
Flip switch to change 3 CCT



IP20

SPECIFICATION

PRODUCT NAME :	PONTE DOWNLIGHT
MODEL NO. :	DL31-3CCT 5W/7W/12W
SPECIFICATION :	AC220-240V, 50-60Hz ; 5W/7W/12W
WORKING TEMP. :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / Gold / Silver / Black
LIGHT SOURCE :	SMD Chip
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	98*34mm / 107*38mm / 140*40mm
CUTOUT :	68mm / 70mm / 100mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE



3 YEARS
WARRANTY

5W 7W 12W

BEAM ANGLE : 120°

VIDEO



NX-DL-6W/12W/15W/18W

Color Temperature:



3 CCT CHANGEABLE
Flip switch to change 3 CCT



NX-DL-6W-GDW-CCT	NX-DL-6W-SL-CCT	NX-DL-6W-GREY-CCT	NX-DL-6W-BK-CCT
NX-DL-12W-GDW-CCT	NX-DL-12W-SL-CCT	NX-DL-12W-GREY-CCT	NX-DL-12W-BK-CCT
NX-DL-15W-GDW-CCT	NX-DL-15W-SL-CCT	NX-DL-15W-GREY-CCT	NX-DL-15W-BK-CCT
NX-DL-18W-GDW-CCT	NX-DL-18W-SL-CCT	NX-DL-18W-GREY-CCT	NX-DL-18W-BK-CCT



IP20

SPECIFICATION

PRODUCT NAME :	3CCT LED Downlight
SPECIFICATION :	AC175-265V, 50Hz, 50mA, 6W / 12W / 15W / 18W
WORKING TEMP. :	-20~45(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	Gold White / Silver / Grey / Black
LIGHT SOURCE :	SMD 2835
LUMEN :	60-90 lm / W
LIFE TIME :	30000 hrs
BEAM ANGLE :	110 °
PRODUCT SIZE :	Φ105*33mm / Φ120*36mm / Φ140*38mm / Φ175*38mm
CUTOUT :	Φ75 mm / Φ95-105 mm / Φ105-125 mm / Φ150-160 mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years



3 YEARS
WARRANTY

6W 12W 15W 18W

BEAM ANGLE : 100°


VIDEO




SMD DOWNLIGHT ECO STAR

ECO-STAR-3CCT

Color Temperature:



3 CCT CHANGEABLE
Flip switch to change 3 CCT



IP20

SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	ECO-STAR-3CCT 5W/10W
SPECIFICATION :	AC200-240V, 50-60Hz ; 5W/10W
WORKING TEMP. :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / White+Silver / Silver / Gold+Silver / Rose Gold+Silver / Silver+Black / Rose
LIGHT SOURCE :	SMD Chip
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	98*50mm / 138*58mm
CUTOUT :	70mm / 110mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE



3 YEARS
WARRANTY

5W 10W

BEAM ANGLE : 120°

VIDEO





2
YEARS
WARRANTY

BEAM ANGLE : 38°


5W

VIDEO



NX-Z5SL-H-5W

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED Spot Light
MODEL NO. :	NX-Z5SL-H-5W
SPECIFICATION :	AC220-240V, 50/60Hz, 50mA, 5W
WORKING TEMP :	-20~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	≥80
COLOR :	White Color
LIGHT SOURCE :	Seoul / Lumileds
LUMEN :	100 LM / W
LIFE TIME :	25,000 hrs
BEAM ANGLE :	38°
PRODUCT SIZE :	85*39.6mm
CUT OUT :	72mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel
WARRANTY :	2 years
STANDARD :	CE



2
YEARS
WARRANTY

BEAM ANGLE : 38°

3W

VIDEO



NX-SL25-1406U-3W

Color Temperature:



SPECIFICATION

IP20

Product Name :	LED DOWNLIGHT
Model No. :	NX-SL25-1406U-3W
Specification :	AC220-240V, 50/60Hz, 29mA, 3W
Working Temp :	-10~40(°C)
Power Factor :	0.5
CRI(ra) :	80
Body Color :	White
Light Source :	LED SMD Chip
Lumen :	60~80LM/W
Life Time :	25000 hrs
Beam Angle :	38°
Product Size :	Φ44*28mm
Cut Out :	Φ35mm
IP :	IP20
Application :	Home, Shop, Hotel...etc
Warranty :	2 years
Standard :	CE




3
YEARS
WARRANTY

3W

BEAM ANGLE : 24°

MNCOB02

Color Temperature:



IP20

SPECIFICATION

PRODUCT NAME :	LED MINI DOWNLIGHT
MODEL NO. :	MNCOB02 3W
SPECIFICATION :	AC220-240V, 50-60Hz, 3W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	WHITE
LIGHT SOURCE :	COB
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	48*23mm
CUTOUT :	35mm
IP :	IP20
APPLICATION :	Kitchen, Cabinet, Showcase...etc
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY

3W

BEAM ANGLE : 24°

MNCOB08

Color Temperature:



IP20

SPECIFICATION

PRODUCT NAME :	LED MINI DOWNLIGHT
MODEL NO. :	MNCOB08 3W
SPECIFICATION :	AC220-240V, 50-60Hz, 3W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	WHITE
LIGHT SOURCE :	COB
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	43*26mm
CUTOUT :	35mm
IP :	IP20
APPLICATION :	Kitchen, Cabinet, Showcase...etc
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY

3W

BEAM ANGLE : 24°



VIDEO



MNCOB86

Color Temperature:



IP20

SPECIFICATION

PRODUCT NAME :	Mini COB Downlight
MODEL NO. :	MNCOB86 3W
SPECIFICATION :	AC200-240V, 50-60Hz, 3W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White/Black
LIGHT SOURCE :	COB Chip
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
ADJUSTABLE ANGLE :	30 °
PRODUCT SIZE :	55*40mm
CUTOUT :	45mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Bar, etc
WARRANTY :	3 years
STANDARD :	CE

MNCOB86M

Color Temperature:



IP20

SPECIFICATION

PRODUCT NAME :	Mini COB Downlight
MODEL NO. :	MNCOB86-M 3W
SPECIFICATION :	AC200-240V, 50-60Hz, 3W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White/Black
LIGHT SOURCE :	COB Chip
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
ADJUSTABLE ANGLE :	30 °
PRODUCT SIZE :	55*40mm
CUTOUT :	45mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Bar, etc
WARRANTY :	3 years
STANDARD :	CE

BEAM ANGLE : 24°



VIDEO



MNCOB88

Color Temperature:



3W

BEAM ANGLE : 50°



VIDEO



SPECIFICATION

PRODUCT NAME :	LED MINI DOWNLIGHT
MODEL NO. :	MNCOB88 3W
SPECIFICATION :	AC220-240V, 50-60Hz, 3W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+Black reflector
LIGHT SOURCE :	COB Chip
LUMEN :	100 LM/W
BEAM ANGLE :	50 °
PRODUCT SIZE :	40*31mm
CUTOUT :	35mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	5 years
STANDARD :	CE

IP20

MNCOB89

Color Temperature:



2W

BEAM ANGLE : 60°



VIDEO



SPECIFICATION

PRODUCT NAME :	LED MINI DOWNLIGHT
MODEL NO. :	MNCOB89 2W
SPECIFICATION :	AC220-240V, 50-60Hz, 2W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+Black reflector
LIGHT SOURCE :	COB Chip
LUMEN :	100 LM/W
BEAM ANGLE :	60°
PRODUCT SIZE :	30*24mm
CUTOUT :	26mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years
STANDARD :	CE

IP20



3
YEARS
WARRANTY

5W 12W 15W 24W 30W

BEAM ANGLE : 90°

VIDEO



VELAR-3CCT

DL19-3CCT

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT



IP20

SPECIFICATION


PRODUCT NAME :	VELAR 3CCT LED DOWNLIGHT
MODEL NO. :	DL19-3CCT 5W/12W/15W/24W/30W
SPECIFICATION :	AC100-240V, 50-60Hz ;5W/12W/15W/24W/30W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6 / >0.6 / >0.6 / >0.9 / >0.9
CRI(RA) :	>80
COLOR :	Matt Gray Reflector
LIGHT SOURCE :	SMD CHIP
LUMEN :	85LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	90 °
PRODUCT SIZE :	88*46mm/105*60mm/130*68mm/185*93mm/220*98mm
CUTOUT :	75mm/90mm/110mm/165mm/195mm
IP :	IP20
APPLICATION :	Home, Shop, hotel, etc
WARRANTY :	3 years
STANDARD :	CE

NXZ9.5W / NXZ9.5B

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT



IP20

SPECIFICATION

PRODUCT NAME :	LED Downlight
MODEL NO. :	NXZ9.5W / NXZ9.5B
SPECIFICATION :	AC100-240V, 50/60Hz, 209mA, 9.5W
WORKING TEMP :	-20~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	≥80
COLOR :	White Color / Black Color
LIGHT SOURCE :	SMD
LUMEN :	850 lm
LIFE TIME :	30,000 hrs
BEAM ANGLE :	100 °
PRODUCT SIZE :	Φ115mm * 58mm
CUTOUT :	90mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	2 years
STANDARD :	CE


BEAM ANGLE : 60°

VIDEO



NX-TH403 NX-TH703

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Spotlight
MODEL NO. :	NX-TH403W / NX-TH403B NX-TH703W / NX-TH703B
SPECIFICATION :	AC175-265V, 50/60Hz, 36mA / 64mA; 4W / 7W
WORKING TEMP :	-20~45(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White house color / Black house color
LIGHT SOURCE :	SMD 7070
LUMEN :	200 lm / 420 lm
LIFE TIME :	15000 hrs
BEAM ANGLE :	20 ° ±3 °
PRODUCT SIZE :	Φ69*45mm / Φ85*56mm
CUTOUT :	Ø55-60 mm / Ø75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years

NX-TH601

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Spotlight
MODEL NO. :	NX-TH601 WH NX-TH601 SHINY GR
SPECIFICATION :	AC175-265V, 50/60Hz, 55mA, 6W
WORKING TEMP :	-20~45(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White + White / White + Shiny Grey
LIGHT SOURCE :	SMD 2835
LUMEN :	360 lm
LIFE TIME :	15000 hrs
BEAM ANGLE :	30 ° ±4 °
PRODUCT SIZE :	Φ87*65mm
CUTOUT :	Φ75 mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years



3
YEARS
WARRANTY

16W

BEAM ANGLE : 24°



VIDEO



NX-2908-DOB-2x8

Color Temperature:



IP20

SPECIFICATION

PRODUCT NAME :	LED Grille Light
MODEL NO. :	NX-2908-DOB-2x8
SPECIFICATION :	AC175-265V, 50/60Hz, 140mA, 16W (2x8W)
WORKING TEMP :	-20~45(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White
LIGHT SOURCE :	SMD 7070
LUMEN :	70 lm / W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
ADJUSTABLE ANGLE :	30 °
PRODUCT SIZE :	220*120*56mm
CUTOUT :	195*95 mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years

NX-22-12W-3CCT

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT



IP40

SPECIFICATION

PRODUCT NAME :	3CCT LED DOWNLIGHT
MODEL NO. :	NX-22-12W-3CCT
SPECIFICATION :	AC220-240V, 50/60Hz, 85mA, 12W
WORKING TEMP :	-10~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White
LIGHT SOURCE :	LED SMD Chip
LUMEN :	80-90LM/W
LIFE TIME :	25000 hrs
BEAM ANGLE :	60 °
PRODUCT SIZE :	120*56mm
CUTOUT :	110mm
IP :	IP40
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	2 years
STANDARD :	CE

BEAM ANGLE : 60°



VIDEO



2
YEARS
WARRANTY

7W

BEAM ANGLE : 60°



VIDEO




NX-1407H / NX-1407H BK

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT



IP40

SPECIFICATION

PRODUCT NAME :	3CCT LED DOWNLIGHT
MODEL NO. :	NX-1407H-29-7W-S3CCT / NX-1407H-29-BK-7W-S3CCT
SPECIFICATION :	AC220-240V, 50/60Hz, 50mA, 7W
WORKING TEMP :	-10~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White / Black
LIGHT SOURCE :	SMD Chip
LUMEN :	80-90LM/W
LIFE TIME :	25000 hrs
BEAM ANGLE :	60 °
ADJUSTABLE :	24 °
PRODUCT SIZE :	90*45mm
CUTOUT :	70mm
IP :	IP40
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	2 years
STANDARD :	CE

NX-1406R-24-8W-S3CCT

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT



IP40

SPECIFICATION

PRODUCT NAME :	3CCT LED DOWNLIGHT
MODEL NO. :	NX-1406R-24-8W-S3CCT
SPECIFICATION :	AC220-240V, 50/60Hz, 60mA, 8W
WORKING TEMP :	-10~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	80-90LM/W
LIFE TIME :	25000 hrs
BEAM ANGLE :	60 °
PRODUCT SIZE :	90*85mm
CUTOUT :	80mm
IP :	IP40
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	2 years
STANDARD :	CE

BEAM ANGLE : 60°



VIDEO






5 YEARS
WARRANTY

LED DOWNLIGHT
Spark

DL20-3CCT

Color Temperature:




3 CCT
CHANGEABLE



30000 Hours
85 LM/Watt
60° Beam Angle
IP44

SPECIFICATION

PRODUCT NAME :	SPARK LED DOWNLIGHT
MODEL NO. :	DL20-3CCT 7W/10W/15W/20W/30W/40W
SPECIFICATION :	AC200-240V, 50-60Hz,
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6 40w:>0.9
CRI(RA) :	>80
COLOR :	Dark Grey
LIGHT SOURCE :	SMD CHIP
LUMEN :	85 LM/W
LIFE TIME :	60 °
BEAM ANGLE :	7W:90°45mm
PRODUCT SIZE :	105*65mm/130*68mm/165*90mm/185*95mm/220*105mm
CUTOUT :	75mm/90mm/110mm/145mm/165mm/200mm
IP :	IP44
APPLICATION :	Home, Shop, hotel, exhibition hall...etc
WARRANTY :	3 years
STANDARD :	CE



3 YEARS
WARRANTY

SMART
Lighting

LED DOWNLIGHT
Spark

DL20-SMART

Color Temperature:



30000 Hours
85 LM/Watt
60° Beam Angle
IP44

SPECIFICATION

PRODUCT NAME :	SPARK LED DOWNLIGHT
MODEL NO. :	DL20-SMART 15W
SPECIFICATION :	AC200-240V, 50-60Hz, 15W
WIRELESS TYPE :	SMART CONTROL
DIMMABLE :	YES
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Dark Grey
LIGHT SOURCE :	SMD CHIP
LUMEN :	85 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	60 °
PRODUCT SIZE :	130*68mm
CUTOUT :	110mm
IP :	IP44
APPLICATION :	Home, Shop, hotel, exhibition hall...etc
WARRANTY :	3 years
STANDARD :	CE



FROGGY

Waterproof Downlight

DL17

Color Temperature:



30,000 Hours
AC 100-240 Voltage
100 Lumens Per Watt
-20~50(°C)



SPECIFICATION

PRODUCT NAME :	FROGGY Waterproof Downlight
MODEL NO. :	DL17 24W
SPECIFICATION :	AC100-240V;50/60Hz;280MA; 24W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White Color
LIGHT SOURCE :	SMD Chip
LUMEN :	100 LM / W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	190*72mm
CUTOUT :	170mm
IP :	IP65
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years
STANDARD :	CE

3 YEARS
WARRANTY




24W



3 YEARS
WARRANTY

COB48

Color Temperature:



30,000 Hours
AC 200-240 Voltage
90 Lumens Per Watt
-20~50(°C)



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB48 10W
SPECIFICATION :	AC200-240V, 50-60Hz, 10W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+ Gray
LIGHT SOURCE :	COB Chip
LUMEN :	90 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	38 °
PRODUCT SIZE :	90*90mm
CUTOUT :	75mm
IP :	IP65
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years
STANDARD :	CE





3
YEARS
WARRANTY

12W 12W*2 12W*3 12W*4

BEAM ANGLE : 24°



COB58-S

Color Temperature:



SPECIFICATION

PRODUCT NAME :	SQUARE LED DOWNLIGHT
MODEL NO. :	COB58-S 12W / 12WX2 / 12WX3 / 12WX4
SPECIFICATION :	AC220-240V, 50-60Hz, 12W / 12WX2 / 12WX3 / 12WX4
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	COB
LUMEN :	100LM/W
BEAM ANGLE :	88°88°75mm/168°88°75mm/248°88°75mm/168°168°75mm
PRODUCT SIZE :	70°70mm/150°75mm/235°75mm/150°150mm
CUTOUT :	24°
IP :	IP20
APPLICATION :	Home, shop, hotel...etc
WARRANTY :	3 years
STANDARD :	CE
OTHERS :	Anti-glare net optional

IP20

COB58-R

Color Temperature:



SPECIFICATION

PRODUCT NAME :	ROUND LED DOWNLIGHT
MODEL NO. :	COB58-R 12W
SPECIFICATION :	AC220-240V, 50-60Hz, 12W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	COB
LUMEN :	100LM/W
BEAM ANGLE :	85°75mm
PRODUCT SIZE :	70°70mm
CUTOUT :	24°
IP :	IP20
APPLICATION :	Home, shop, hotel...etc
WARRANTY :	3 years
STANDARD :	CE
OTHERS :	Anti-glare net optional

IP20



3
YEARS
WARRANTY

12W

BEAM ANGLE : 24°



COB80

Color Temperature:



COB80-R 12W COB80 12W

SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB80-R 12W / COB80 12W
SPECIFICATION :	AC220-240V, 50-60Hz, 12W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+White reflector
LIGHT SOURCE :	COB Chip
LUMEN :	90 LM/W
BEAM ANGLE :	36°
PRODUCT SIZE :	85°65mm
CUTOUT :	75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	5 years
STANDARD :	CE

IP20



5
YEARS
WARRANTY

12W

BEAM ANGLE : 36°



COB79-R

Color Temperature:



COB79-R COB79-S COB79

SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB79-R 7W/12W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W/12W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+Silver reflector
LIGHT SOURCE :	COB Chip
LUMEN :	100 LM/W
BEAM ANGLE :	36°
ADJUSTABLE :	360°
PRODUCT SIZE :	81°65mm / 97°85mm
CUT OUT :	75mm / 90mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	5 years
STANDARD :	CE

IP20



5
YEARS
WARRANTY

7W 12W

BEAM ANGLE : 36°





3
YEARS
WARRANTY

8W 15W 20W

BEAM ANGLE: 55° / 60° / 60°




VIDEO



NX-TD801L / NX-TD1501L / NX-TD2001L

Color Temperature:



SPECIFICATION

IP20

Product Name:	LED Downlight
Model NO.:	NX-TD801L / NX-TD1501L / NX-TD2001L
Specification:	AC175-265V, 50/60Hz, 65 mA, 8W / 125mA, 15W / 168mA, 20W
Working Temp:	-20~45(°C)
Power Factor:	0.5
CRI(Ra):	80
Housing Color:	White
Reflector Color:	Silver or Gold or Grey
Light Source:	SMD 2835
Lumen:	65~75 lm / W
Life Time:	30000 hrs
Beam Angle:	55° / 60° / 60°
Product Size:	Φ88*45 mm / Φ110*50 mm / Φ136*53 mm
Cut Out:	Φ75-80 mm / Φ95-100 mm / Φ120-125 mm
IP:	IP20
Application:	Home, Shop, Hotel...
Warranty:	3 years



3
YEARS
WARRANTY

8W 15W 20W

BEAM ANGLE: 70° / 75° / 80°




VIDEO



NX-TD801 / NX-TD1501 / NX-TD2001

Color Temperature:



SPECIFICATION

IP20

Product Name:	LED Downlight
Model NO.:	NX-TD801 / NX-TD1501 / NX-TD2001
Specification:	AC175-265V, 50/60Hz, 65 mA, 8W / 125mA, 15W / 168mA, 20W
Working Temp:	-20~45(°C)
Power Factor:	0.5
CRI(Ra):	80
Housing Color:	White
Reflector Color:	Silver or Gold or Grey
Light Source:	SMD 2835
Lumen:	60~87 lm / W
Life Time:	30000 hrs
Beam Angle:	70° / 75° / 80°
Product Size:	Φ88*45 mm / Φ110*50 mm / Φ136*53 mm
Cut Out:	Φ75-80 mm / Φ95-100 mm / Φ120-125 mm
IP:	IP20
Application:	Home, Shop, Hotel...
Warranty:	3 years



3
YEARS
WARRANTY

5
YEARS
WARRANTY

5W 7W 10W 15W 20W 30W

BEAM ANGLE: 90°



VIDEO



WHITEY

DL88

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT

SPECIFICATION

IP20

PRODUCT NAME:	WHITEY LED DOWNLIGHT
MODEL NO.:	DL88 5W/7W/10W/15W/20W/30W
SPECIFICATION:	AC220-240V, 50-60Hz, 5W/7W/10W/15W/20W/30W
WORKING TEMP:	-20~50(°C)
POWER FACTOR:	5W/7W/10W/15W: >0.6 20W/30W: >0.9
CRI(RA):	>80
COLOR:	WHITE
LIGHT SOURCE:	SMD
LUMEN:	80 LM/W
BEAM ANGLE:	90°
PRODUCT SIZE:	79*36mm/93*45mm/112*52mm/162*72mm/192*83mm/225*97mm
CUT OUT:	65mm/75mm/90mm/135mm/165mm/195mm
IP:	IP20
APPLICATION:	Home, Shop, Hotel, etc.
WARRANTY:	5W/7W/10W/15W: 3 years 20W/30W: 5 years
STANDARD:	CE



3
YEARS
WARRANTY

5W 9W 15W 24W 36W



VIDEO



LEDOX LED DOWNLIGHT

DL27-3CCT

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT

SPECIFICATION

IP44

PRODUCT NAME:	LEDO-X DOWNLIGHT
MODEL NO.:	DL27-3CCT 5W/9W/15W/24W/36W
SPECIFICATION:	AC200-240V, 50-60Hz, 5W/9W/15W/24W/36W
WORKING TEMP:	-20~50(°C)
POWER FACTOR:	>0.6
CRI(RA):	>80
COLOR:	White
LIGHT SOURCE:	SMD Chip
LUMEN:	90 LM/W
LIFE TIME:	30000 hrs
BEAM ANGLE:	120°
PRODUCT SIZE:	95*55mm/120*65mm/145*65mm/195*65mm/230*70mm
CUTOUT:	75mm/95mm/120mm/160mm/195mm
IP:	IP44
APPLICATION:	Home, Shop, Hotel, etc.
WARRANTY:	3 years
STANDARD:	CE



3
YEARS
WARRANTY

7W 12W 18W 24W 36W

BEAM ANGLE : 120°



VIDEO




Marko

DL29

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT



SPECIFICATION

IP20

PRODUCT NAME :	MARKO LED DOWNLIGHT
MODEL NO. :	DL29 7W/12W/18W/24W/36W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W/12W/18W/24W/36W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD
LUMEN :	100 LM/W
BEAM ANGLE :	120°
PRODUCT SIZE :	86.5*31.5mm/106*31.5mm/129*32mm/163*32mm/206*32mm
CUT OUT :	75mm/95mm/120mm/150mm/195mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE

NX-MBY3 / NX-MBY4 / NX-MBY6 / NX-MBY8

Color Temperature:



IP40

SPECIFICATION

PRODUCT NAME :	RECESSED LED DOWNLIGHT
MODEL NO. :	NX-MBY3-2106Z-R-3W / NX-MBY4-2106P-R-6W / NX-MBY6-2106J-R-12W / NX-MBY8-2106G-R-18W
SPECIFICATION :	AC220-240V, 50/60Hz; 22mA,3W / 50mA,6W / 96mA,12W / 135mA,18W
WORKING TEMP :	-10~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	50-80LM/W
LIFE TIME :	25000 hrs
BEAM ANGLE :	100°
PRODUCT SIZE :	Φ85*21mm/128*21mm/170*21mm/229*21mm
CUTOUT :	Φ75mm/115mm/155mm/210mm
IP :	IP40
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	2 years
STANDARD :	CE



2
YEARS
WARRANTY

3W 6W 12W 18W

BEAM ANGLE : 100°



VIDEO



DL32-3CCT

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT



IP20

SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	DL32-3CCT 5W / 7W / 10W / 20W / 26W
SPECIFICATION :	AC220-240V, 50-60Hz, 5W / 7W / 10W / 20W / 26W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	100*30mm / 110*30mm / 120*30mm / 185*30mm / 230*30mm
CUTOUT :	75mm / 80mm / 95mm / 145mm / 190mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY

5W 7W 10W 20W 26W

BEAM ANGLE : 120°



VIDEO



DL33

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT



IP20

SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	DL33 7W / 12W / 18W / 24W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W/12W/18W/24W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD
LUMEN :	100 LM/W
BEAM ANGLE :	120°
PRODUCT SIZE :	116*50mm / 141*50mm / 190*50mm / 242*50mm
CUTOUT :	75mm / 100mm / 150mm / 200mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY

7W 12W 18W 24W

BEAM ANGLE : 120°



VIDEO





3
YEARS
WARRANTY

5W 10W 12W 18W

BEAM ANGLE : 120°



PLASTICO

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWN LIGHT
MODEL NO. :	PLASTICO 5W/10W/12W/18W
SPECIFICATION :	AC85-265V 280mA, 5W/10W/12W/18W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	0.6
CRI(RA) :	>80
COLOR :	White color
LIGHT SOURCE :	Epistar SMD Chip
LUMEN :	100lm /W
LIFE TIME :	50000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	92*55mm/115*60mm/140*65mm/190*70mm
CUT OUT :	80mm/100mm/125mm/175mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel
WARRANTY :	3 years
STANDARD :	CE

IP20



3
YEARS
WARRANTY

7W 10W 14W

BEAM ANGLE : 120°



Plastico 44

Color Temperature:



SPECIFICATION

PRODUCT NAME :	Plastico 44 LED Downlight
MODEL NO. :	NX-DWL-7W 2.5INCH / NX-DWL-10W 3.5INCH / NX-DWL-14W 4INCH
SPECIFICATION :	AC180-265V : 7W / 10W / 14W
WORKING TEMP :	-20~45(°C)
POWER FACTOR :	0.5
CRI(RA) :	>80
COLOR :	White Color
LIGHT SOURCE :	SANAN SMD Chip
LUMEN :	80 LM /W
LIFE TIME :	35000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	Φ92*55 mm / Φ115*60 mm / Φ140*65 mm
CUT OUT :	Φ70mm / Φ90mm / Φ110mm
IP :	IP44
APPLICATION :	Home, Shop, Hotel
WARRANTY :	3 years
STANDARD :	CE

NX-DWL

IP44

BLANCO

LED DOWN LIGHT

DL35-3CCT

Color Temperature:



IP20

SPECIFICATION

PRODUCT NAME :	BLANCO LED Down Light
MODEL NO. :	DL35-3CCT 5W/7W/12W/18W
SPECIFICATION :	AC220-240V, 50-60Hz, 5W/7W/12W/18W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	95*55mm/115*60mm/140*65mm/190*70mm
CUT OUT :	75mm/95mm/115mm/160mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY

5W 7W 12W 18W

BEAM ANGLE : 120°




VIDEO



NX3L / NX4L / NX6L / NX8L

Color Temperature:



SPECIFICATION

Product Name :	RECESSED LED DOWNLIGHT
Model No. :	NX3L-1523D-6W / NX4L-1523C-10W / NX6L-1523B-15W / NX8L-1523A-22W
Specification :	AC220-240V, 50/60Hz, 48mA, 6W / 75mA, 10W / 120mA, 15W / 166mA, 22W
Working Temp :	-10~40(°C)
Power Factor :	0.5
CRI(ra) :	80
Body Color :	White
Light Source :	LED SMD Chip
Lumen :	100Lm/W
Life Time :	25000 hrs
Beam Angle :	120°
Product Size :	Φ100*40mm / Φ120*40mm / Φ180*40mm / Φ225*40mm
Cut Out :	Φ80 / Φ100 / Φ150~160 / Φ200mm
IP :	IP20
Application :	Home, Shop, Hotel, etc.
Warranty :	2 years
Standard :	CE

IP20



3
YEARS
WARRANTY

6W 10W 15W 22W

BEAM ANGLE : 120°



VIDEO



NXP7B

Color Temperature:



25,000 Hours AC 220-240 Voltage 90~100 Lumens Per Watt -20~40(°C) **IP20**

SPECIFICATION

PRODUCT NAME :	NXP7B LED Down Light
MODEL NO. :	NX-P7B-6W-DL / NX-P7B-10W-DL / NX-P7B-15W-DL / NX-P7B-21W-DL / NX-P7B-27W-DL
SPECIFICATION :	AC220-240V; 50/60Hz; 6W,48mA / 10W,86mA / 15W,110mA / 21W,160mA / 27W, 210mA
WORKING TEMP :	-20~40°C
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White Color
LIGHT SOURCE :	Dacool SMD
LUMEN :	90~100 LM / W
LIFE TIME :	25000 hrs
BEAM ANGLE :	110 °
PRODUCT SIZE :	Φ92*50mm / Φ112*50mm / Φ166*54mm / Φ216*58mm / Φ216*58mm
CUTOUT :	Φ75mm / Φ100mm / Φ150mm / Φ200mm / Φ200mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	IEC60598; RoHS



BEAM ANGLE : 110°



VIDEO



Smart Lighting

3 YEARS
WARRANTY



BEAM ANGLE : 120°



VIDEO



PANNELLO

PL26-Smart

Color Temperature:

2700K-6500K RGB Multi-color



30,000 Hours AC 220-240 Voltage 100 Lumens Per Watt -20~50(°C) **IP20**

SPECIFICATION

PRODUCT NAME :	Pannello LED Panel Light
MODEL NO. :	PL26-Smart 7W / PL26-Smart12W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W / 12W
WIRELESS TYPE :	SMART CONTROL
DIMMABLE :	YES
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD CHIP
LUMEN :	100 LM/W
BEAM ANGLE :	120 °
PRODUCT SIZE :	93*25mm / 120*27mm
CUTOUT :	50-80mm / 70-108mm
IP :	IP20
APPLICATION :	Home, Shop, hotel, etc
WARRANTY :	3 years
STANDARD :	CE

Shinny Pannello

Color Temperature:



30,000 Hours AC220-240 Voltage 80 Lumens Per Watt -20~50(°C) **IP20**

SPECIFICATION

PRODUCT NAME :	SHINNY PANNELLO LED PANEL LIGHT
MODEL NO. :	PL28 12W+12W/24W+24W/36W+36W
SPECIFICATION :	AC220-240V,50-60Hz, 12W+12W/ 24W+24W/ 36W+36W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Shinny White
LIGHT SOURCE :	SMD
LUMEN :	80 LM/W
BEAM ANGLE :	120°
PRODUCT SIZE :	120*23mm / 170*25mm / 225*27mm
CUT OUT :	50-90mm / 50-130mm / 50-170mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE

3 YEARS
WARRANTY

BEAM ANGLE : 120°



VIDEO



PANNELLO

PANNELLO-PL26

Color Temperature:



3 CCT CHANGEABLE Flip switch to change 3 CCT

30,000 Hours AC 200-240 Voltage 110 Lumens Per Watt -20~50(°C) **IP20**

SPECIFICATION

PRODUCT NAME :	LED PANEL LIGHT
MODEL NO. :	PANNELLO-PL26 18W/24W/36W (1CCT)
	PANNELLO-PL26 12W/24W/36W (3CCT)
SPECIFICATION :	AC200-240V, 50-60Hz, (1CCT:18W /24W/36W) (3CCT:12W /24W/36W)
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	110 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	120*27mm / 170*27mm / 225*27mm
CUTOUT :	70-108mm / 70-155mm / 70-206mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	3 years
STANDARD :	CE

3 YEARS
WARRANTY

BEAM ANGLE : 120°



VIDEO





3
YEARS
WARRANTY

10W 20W 30W

BEAM ANGLE : 120°



PL17-3CCT

Color Temperature:



3 CCT
CHANGEABLE
Flip switch to change 3 CCT



SPECIFICATION

IP20

PRODUCT NAME :	LED PANEL LIGHT
MODEL NO. :	PL17-3CCT 10W/20W/30W
SPECIFICATION :	AC200-240V, 50-60Hz; 10W/20W/30W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	85 LM/W
BEAM ANGLE :	120°
PRODUCT SIZE :	125*13mm / 186*13mm / 240*13mm
CUTOUT :	85-115mm / 90-176mm / 100-230mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Office...etc.
WARRANTY :	3 years
STANDARD :	CE

PL02

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED PANEL LIGHT
MODEL NO. :	PL02 3W/6W/9W/12W/15W/18W
SPECIFICATION :	AC200-240V, 50-60Hz; 3W/6W/9W/12W/15W/18W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	80 LM/W
BEAM ANGLE :	120°
PRODUCT SIZE :	90*13mm / 120*13mm / 145*13mm / 170*13mm / 200*13mm / 225*13mm
CUTOUT :	80mm / 110mm / 135mm / 160mm / 190mm / 210mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Office...etc.
WARRANTY :	5 years
STANDARD :	CE



5
YEARS
WARRANTY

3W 6W 9W 12W 15W 18W

BEAM ANGLE : 120°



LED Panel Light PL13

Color Temperature:



3 CCT
CHANGEABLE



SPECIFICATION

PRODUCT NAME :	LED PANEL LIGHT
MODEL NO. :	PL13 40W/60W/96W/40-50-60W
SPECIFICATION :	AC220-240V, 50-60Hz, 40W/60W/96W/40-50-60W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	2835 SMD Chip
LUMEN :	120LM/W
LIFE TIME :	50000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	595*595mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Office...etc.
WARRANTY :	3 years
STANDARD :	CE
OTHERS :	Dali or Smart Control (optional)



5
YEARS
WARRANTY

40W 60W 96W 40W-50W-60W



NX-CLR-A-0307D-30W-3CCT

Color Temperature:



3 CCT
CHANGEABLE



SPECIFICATION

PRODUCT NAME :	
MODEL NO. :	
SPECIFICATION :	
WORKING TEMP :	
POWER FACTOR :	
CRI(RA) :	
COLOR :	
LIGHT SOURCE :	
LUMEN :	
LIFE TIME :	
BEAM ANGLE :	
PRODUCT SIZE :	
IP :	
APPLICATION :	
WARRANTY :	
STANDARD :	
OTHERS :	



3
YEARS
WARRANTY





3 YEARS
WARRANTY

10W



LED DOWNLIGHT EYEBALL

COB82

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB82 10W
SPECIFICATION :	AC220-240V, 50-60Hz, 10W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>8
COLOR :	Black/Gold+Pearl SL+White/Gold+Gun Metal+White/Pearl SL+Gold+White/Pearl SL+Chrome+White/White
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
BEAM ANGLE :	24°
ADJUSTABLE :	360°
PRODUCT SIZE :	85*70mm
CUTOUT :	75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years
STANDARD :	CE

COB68-C

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB68-C 12W
SPECIFICATION :	AC220-240V, 50-60Hz, 12W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	COB
LUMEN :	90 LM/W
BEAM ANGLE :	24°
PRODUCT SIZE :	110*110mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years
STANDARD :	CE




3 YEARS
WARRANTY

12W



COB90

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB90 8W
SPECIFICATION :	AC220-240V, 50-60Hz, 8W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
BEAM ANGLE :	24°
PRODUCT SIZE :	86*55mm
CUT OUT :	75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE


3 YEARS
WARRANTY

8W



DL90

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	DL90 10W
SPECIFICATION :	AC220-240V, 50-60Hz, 10W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD
LUMEN :	100 LM/W
BEAM ANGLE :	90°
PRODUCT SIZE :	86*55mm
CUT OUT :	75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

3 YEARS
WARRANTY

10W





3
YEARS
WARRANTY

MNCOB73

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Mini Downlight
MODEL NO. :	MNCOB73 3W
SPECIFICATION :	AC220-240V, 50-60Hz, 3W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+Gold / White+Rose / Black+Gold / Black+Rose
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	36°
PRODUCT SIZE :	31*27mm
CUTOUT :	25mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY


MNCOB74

Color Temperature:



SPECIFICATION


PRODUCT NAME :	LED Mini Downlight
MODEL NO. :	MNCOB74
SPECIFICATION :	AC220-240V, 50-60Hz, 2W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	30*30mm
CUTOUT :	25mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY


MNCOB75

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Mini Downlight
MODEL NO. :	MNCOB75
SPECIFICATION :	AC220-240V, 50-60Hz, 3W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	35*38mm
CUTOUT :	30mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY


MNCOB76

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Mini Downlight
MODEL NO. :	MNCOB76
SPECIFICATION :	AC220-240V, 50-60Hz, 3W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	35*40mm
CUTOUT :	30mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	3 years
STANDARD :	CE





3 YEARS
WARRANTY

7W

VIDEO



ZM030-3CCT

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Downlight
MODEL NO. :	ZM030-3CCT 7W
SPECIFICATION :	AC200-240V, 50-60Hz, 7W
WORKING TEMP. :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Gold+Black/Copper+Black/Chrome+Black/Rose Gd+Black/ Gold+White/Copper+White/Chrome+White/Rose Gd+White
LIGHT SOURCE :	COB Chip
LUMEN :	85 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	30°
PRODUCT SIZE :	95*65mm
CUTOUT :	72mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE



3 YEARS
WARRANTY

15W 25W

VIDEO



COB77

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Extendable Downlight
MODEL NO. :	COB77 15W/25W
SPECIFICATION :	AC220-240V, 50-60Hz, 15W / 25W
WORKING TEMP. :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	110*117mm / 135*144mm
CUTOUT :	95mm / 115mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE



3 YEARS
WARRANTY

1W

VIDEO



MNCOB71

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Mini Downlight
MODEL NO. :	MNCOB71 1W
SPECIFICATION :	AC220-240V, 50-60Hz, 1W
WORKING TEMP. :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / Black / Gold / Silver
LIGHT SOURCE :	SMD
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	30*24mm
CUTOUT :	24mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE



3 YEARS
WARRANTY


1W

VIDEO



MNCOB72

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Mini Downlight
MODEL NO. :	MNCOB72 1W
SPECIFICATION :	AC220-240V, 50-60Hz, 1W
WORKING TEMP. :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Black / Gold
LIGHT SOURCE :	SMD
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	60°
PRODUCT SIZE :	30*32mm
CUTOUT :	24mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY

12W 20W 30W

VIDEO



COB56

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB56 12W/20W/30W
SPECIFICATION :	AC220-240V, 50-60Hz, 12W/20W/30W
WORKING TEMP :	-20 ~ 50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	White
LIGHT SOURCE :	COB
LUMEN :	90 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24°
ADJUSTABLE :	30° inclination + 360° rotation
PRODUCT SIZE :	90*75mm / 110*95mm / 135*120mm
CUTOUT :	80mm / 95mm / 120mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

COB81

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB81 3W / 10W
SPECIFICATION :	AC220-240V, 50-60Hz, 3W / 10W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+Gray
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	65*30mm / 85*35mm
CUTOUT :	55mm / 75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

STANDARD :

VIDEO



3W 10W

ZM035

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	ZM035 7W+12W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W(ring) + 12W(main light)
WORKING TEMP :	-20 ~ 50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	Matt White / Matt Black / Gun Metal / Silver
LIGHT SOURCE :	SMD (ring) + COB (main light)
LUMEN :	90 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	85*95mm
CUTOUT :	75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

COB63

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB63 10W
SPECIFICATION :	AC220-240V, 50-60Hz, 10W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	White+Black
LIGHT SOURCE :	COB
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	15°
ADJUSTABLE :	45° tiltable+360° rotational
PRODUCT SIZE :	85*56mm
CUTOUT :	75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

STANDARD :

3
YEARS
WARRANTY

7W + 12W

VIDEO



3
YEARS
WARRANTY

10W

VIDEO





3
YEARS
WARRANTY

COB83

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB83 7W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	Frosted White
LIGHT SOURCE :	COB
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	100*68mm
CUTOUT :	75-85mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

VIDEO



7W



3
YEARS
WARRANTY

COB84

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB84 7W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W
WORKING TEMP :	-20 ~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	Shinny White
LIGHT SOURCE :	COB
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	90 °
PRODUCT SIZE :	93*45mm
CUTOUT :	85mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

VIDEO




7W



3
YEARS
WARRANTY

COB85

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB85 7W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Sand Black
LIGHT SOURCE :	COB
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	98*48mm
CUTOUT :	70-90mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

VIDEO



7W



3
YEARS
WARRANTY

COB45

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB45 10W
SPECIFICATION :	AC220-240V, 50-60Hz, 10W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>90
COLOR :	White+Gun Metal Reflector
LIGHT SOURCE :	COB
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
ADJUSTABLE :	20 ° tiltable+360 ° rotational
PRODUCT SIZE :	85*82mm
CUTOUT :	75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	3 years
STANDARD :	CE

VIDEO



10W

LED Surface DOWNLIGHTS



PANNELLO PL26-C

Color Temperature:



90°
Install easily,
open on the bottom

30000
Hours

100
LM / Watt

120°
Beam Angle

IP20

3
YEARS
WARRANTY



SPECIFICATION

PRODUCT NAME :	LED PANEL LIGHT
MODEL NO. :	PANNELLO PL26-C 18W/24W/36W/48W
SPECIFICATION :	AC200-240V, 50-60Hz, 18W/24W/36W/48W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	180*45mm/180*45mm/225*45mm/280*53mm
CUTOUT :	352g/352g/495g/792g
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE



NX-CL

Color Temperature:



3 CCT
CHANGEABLE

25000
Hours

100
LM / Watt

120°
Beam Angle

IP54

3
YEARS
WARRANTY



SPECIFICATION

PRODUCT NAME :	LED TRI-PROOF CEILING LAMP
MODEL NO. :	NX-CL20 / NX-CL30 / NX-CL40
SPECIFICATION :	AC175-265V, 50/60Hz, 20W / 30W / 40W
WORKING TEMP :	-20 - 45(°C)
POWER FACTOR :	0.5 / 0.9 / 0.9
CRI(RA) :	80
COLOR :	White+Black
LIGHT SOURCE :	SMD
LUMEN :	1400 lm / 2200 lm / 3100 lm
LIFE TIME :	25000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	Φ300*65mm / Φ370*70mm / Φ480*75mm
IP :	IP54
APPLICATION :	Home, Shop, Hotel
WARRANTY :	3 years
STANDARD :	CE





3
YEARS
WARRANTY

30W 48W

VIDEO



FRISBEE DL22

Color Temperature:



SPECIFICATION

PRODUCT NAME :	FRISBEE LED CEILING DOWNLIGHT
MODEL NO. :	DL22 30W/48W
SPECIFICATION :	AC220-240V, 50-60Hz, 30W/48W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	SMD
LUMEN :	120 LM/W
LIFE TIME :	120 °
BEAM ANGLE :	235*38mm/295*40mm
PRODUCT SIZE :	IP20
IP :	Home, Shop, Hotel..etc.
APPLICATION :	30,000Hrs
WARRANTY :	3 years
STANDARD :	CE



5
YEARS
WARRANTY

12W 20W 30W

VIDEO



TEMPO DL23

Color Temperature:



SPECIFICATION

PRODUCT NAME :	TEMPO LED CEILING DOWNLIGHT
MODEL NO. :	DL23 12W/20W/30W
SPECIFICATION :	AC220-240V, 50-60Hz, 12W/20W/30W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	SMD
LUMEN :	120 LM/W
LIFE TIME :	120 °
BEAM ANGLE :	85*74mm/115*95mm/135*110.5mm
PRODUCT SIZE :	IP20
IP :	Home, Shop, Hotel..etc.
APPLICATION :	50,000Hrs
WARRANTY :	5 years
STANDARD :	CE



5
YEARS
WARRANTY

7W

VIDEO



DL36

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED CEILING DOWNLIGHT
MODEL NO. :	DL36 7W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	SMD
LUMEN :	100 LM/W
LIFE TIME :	50,000Hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	80*45mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel..etc.
WARRANTY :	5 years
STANDARD :	CE



5
YEARS
WARRANTY

7W

VIDEO



DL37

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED CEILING DOWNLIGHT
MODEL NO. :	DL37 7W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	BLACK
LIGHT SOURCE :	SMD
LUMEN :	100 LM/W
LIFE TIME :	50,000Hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	80*36mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel..etc.
WARRANTY :	5 years
STANDARD :	CE



2
YEARS
WARRANTY

COB95

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED CEILING DOWNLIGHT
MODEL NO. :	COB95 5W
SPECIFICATION :	AC220-240V, 50-60Hz, 5W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	20,000hrs
BEAM ANGLE :	60°
PRODUCT SIZE :	60*15mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	2 years
STANDARD :	CE

VIDEO



5
YEARS
WARRANTY

COB97

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED CEILING DOWNLIGHT
MODEL NO. :	COB97 7W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Black
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	50,000hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	80*65mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	5 years
STANDARD :	CE


VIDEO



5
YEARS
WARRANTY

COB98

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED CEILING SPOT LIGHT
MODEL NO. :	COB98 7W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Black
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	50,000hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	40*60mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	5 years
STANDARD :	CE

VIDEO



5
YEARS
WARRANTY

COB99

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED CEILING SPOT LIGHT
MODEL NO. :	COB98 7W
SPECIFICATION :	AC220-240V, 50-60Hz, 7W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Black
LIGHT SOURCE :	COB
LUMEN :	100 LM/W
LIFE TIME :	50,000hrs
BEAM ANGLE :	24°
PRODUCT SIZE :	40*60mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	5 years
STANDARD :	CE

VIDEO





2
YEARS
WARRANTY

18W

BEAM ANGLE : 100°



VIDEO



NX-MBU8-2106G-S-18W

Color Temperature:



IP40

SPECIFICATION

PRODUCT NAME :	SURFACE LED DOWNLIGHT
MODEL NO. :	NX-MBU8-2106G-S-18W
SPECIFICATION :	AC220-240V, 50/60Hz, 135mA, 18W
WORKING TEMP :	-10~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	70-80LM/W
LIFE TIME :	25000 hrs
BEAM ANGLE :	100 °
PRODUCT SIZE :	Φ231*33mm
IP :	IP40
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	2 years
STANDARD :	CE

COB66

Color Temperature:



IP20

SPECIFICATION

Product Name :	LED Mounted Ceiling Downlight
Model No. :	COB66 15W
Specification :	AC220-240V, 50-60Hz, 15W
Working Temp :	-20~50(°C)
Power Factor :	>0.6
CRI(ra) :	>80
Color :	White/Black
Light Source :	COB
Lumen :	80 LM/W
Beam Angle :	30°
Adjustable :	360°
Product Size :	90*110mm
IP :	IP20
Application :	Home, shop, hotel...etc.
Warranty :	3 years
Standard :	CE



3
YEARS
WARRANTY

15W

BEAM ANGLE : 30°




VIDEO



2
YEARS
WARRANTY

NX-CL2A-BK-3CCT

Color Temperature:



SPECIFICATION

PRODUCT NAME :	
MODEL NO. :	
SPECIFICATION :	
WORKING TEMP :	
POWER FACTOR :	
CRI(RA) :	
COLOR :	
LIGHT SOURCE :	
LUMEN :	
LIFE TIME :	
BEAM ANGLE :	
PRODUCT SIZE :	
IP :	
APPLICATION :	
WARRANTY :	
STANDARD :	

LAKES

COB96-C

Color Temperature:




SPECIFICATION

PRODUCT NAME :	LAKES LED DOWNLIGHT
MODEL NO. :	COB96-C 12W
SPECIFICATION :	AC220-240V, 50-60Hz, 12W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+White / Black+Gun metal
LIGHT SOURCE :	COB
LUMEN :	50000 hrs
LIFE TIME :	90 LM/W
BEAM ANGLE :	24 °
PRODUCT SIZE :	92*80mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc.
WARRANTY :	5 years
STANDARD :	CE



5
YEARS
WARRANTY

12W





3
YEARS
WARRANTY

12W

BEAM ANGLE : 30°




VIDEO



COB69

Color Temperature:




SPECIFICATION

IP20

PRODUCT NAME :	LED CEILING DOWNLIGHT
MODEL NO. :	COB69 12W
SPECIFICATION :	AC220-240V, 50-60Hz, 12W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White+Rose GD/Silver/Black , Black+Rose GD/Silver/Black
LIGHT SOURCE :	COB
LUMEN :	100LM/W
BEAM ANGLE :	30°
PRODUCT SIZE :	94*150mm
IP :	IP20
APPLICATION :	Home, shop, hotel, etc.
WARRANTY :	3 years
STANDARD :	CE

COB78

Color Temperature:




SPECIFICATION

IP20

PRODUCT NAME :	LED DOWNLIGHT
MODEL NO. :	COB78 15W
SPECIFICATION :	AC220-240V, 50-60Hz, 15W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White/Black
LIGHT SOURCE :	COB
LUMEN :	90 LM/W
BEAM ANGLE :	24°
PRODUCT SIZE :	90*110mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc.
WARRANTY :	3 years
STANDARD :	CE

COB87

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED CEILING DOWNLIGHT
MODEL NO. :	COB87 3W/5W/7W/10W/12W
SPECIFICATION :	AC220-240V, 50-60Hz, 3W/5W/7W/10W/12W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White/Black
LIGHT SOURCE :	COB
LUMEN :	80LM/W
BEAM ANGLE :	30°
PRODUCT SIZE :	60*21mm/75*21mm/85*21mm/105*21mm/125*21mm
IP :	IP20
APPLICATION :	Home, shop, hotel, etc.
WARRANTY :	3 years
STANDARD :	CE



3
YEARS
WARRANTY

3W 5W 7W 10W 12W

BEAM ANGLE : 30°





VIDEO



NX-Y5GL-H-5W

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME :	LED Surfacted Downlight
MODEL NO. :	NX-Y5GL-H-5W WH / NX-Y5GL-H-5W BK
SPECIFICATION :	AC220-240V, 50/60Hz, 40mA, 5W
WORKING TEMP :	-10~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	≥90
COLOR :	White Color / Black Color
LIGHT SOURCE :	SMD Chip
LUMEN :	350 lm
LIFE TIME :	25,000 Hrs
BEAM ANGLE :	36°
PRODUCT SIZE :	Φ98* H64mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	2 years
STANDARD :	CE



2
YEARS
WARRANTY

5W

BEAM ANGLE : 36°



VIDEO





2
YEARS
WARRANTY

20W

BEAM ANGLE: 120°



VIDEO



NX-CLR-A-0307B-20W-3CCT

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME:	3CCT LED CEILING LIGHT
MODEL NO.:	NX-CLR-A-0307B-20W-3CCT
SPECIFICATION:	AC220-240V, 50/60Hz, 147mA, 20W
WORKING TEMP:	-10~40(°C)
POWER FACTOR:	0.5
CRI(RA):	80
COLOR:	White
LIGHT SOURCE:	LED SMD Chip
LUMEN:	100LM/W
LIFE TIME:	25000 hrs
BEAM ANGLE:	120°
PRODUCT SIZE:	Φ200*53mm
IP:	IP20
APPLICATION:	Home, Shop, Hotel...etc.
WARRANTY:	2 years
STANDARD:	CE

NEW MOON

PL27-C

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME:	NEW MOON LED PANEL LIGHT
MODEL NO.:	PL27-C 6W
SPECIFICATION:	AC220-240V, 50-60Hz, 6W
WORKING TEMP:	-20~50(°C)
POWER FACTOR:	>0.6
CRI(RA):	>80
COLOR:	White Color
LIGHT SOURCE:	SMD Chip
LUMEN:	130 LM/W
BEAM ANGLE:	120°
PRODUCT SIZE:	88*38mm
IP:	IP20
APPLICATION:	Home, Shop, Hotel...etc.
WARRANTY:	3 years
STANDARD:	CE

BEAM ANGLE: 120°




VIDEO



DL76, DL76-P

Color Temperature:



10W

SPECIFICATION

IP20

PRODUCT NAME:	LED DOWNLIGHT
MODEL NO.:	DL76/DL76-P
SPECIFICATION:	AC220-240V, 50-60Hz, 10W
WORKING TEMP:	-20~50(°C)
POWER FACTOR:	>0.6
CRI(RA):	>80
COLOR:	White/Black
LIGHT SOURCE:	SMD
LUMEN:	80LM/W
BEAM ANGLE:	80°
PRODUCT SIZE:	80*100mm(Wire:1.5m)
IP:	IP20
APPLICATION:	Home, shop, hotel...etc.
WARRANTY:	3 years
STANDARD:	CE

BEAM ANGLE: 80°





VIDEO



DL77, DL77-P

Color Temperature:



10W

SPECIFICATION

IP20

PRODUCT NAME:	LED DOWNLIGHT
MODEL NO.:	DL77/DL77-P 10W
SPECIFICATION:	AC220-240V, 50-60Hz, 10W
WORKING TEMP:	-20~50(°C)
POWER FACTOR:	>0.6
CRI(RA):	>80
COLOR:	White/Black
LIGHT SOURCE:	SMD
LUMEN:	80LM/W
BEAM ANGLE:	80°
PRODUCT SIZE:	80*100mm(Wire:1.5m)
IP:	IP20
APPLICATION:	Home, shop, hotel...etc.
WARRANTY:	3 years
STANDARD:	CE

BEAM ANGLE: 80°



VIDEO





3
YEARS
WARRANTY

6W 12W 18W 24W


BEAM ANGLE: 120°

VIDEO



LED PANEL UFO

Color Temperature:



SPECIFICATION

IP20

PRODUCT NAME:	UFO Panel Light
MODEL NO.:	UFO 6W/12W/18W/24W
SPECIFICATION:	AC200-240V, 50-60Hz, 6W/12W/18W/24W
WORKING TEMP:	-20~50(°C)
POWER FACTOR:	>0.6
CRI(RA):	>80
COLOR:	White
LIGHT SOURCE:	SMD Chip
LUMEN:	110 LM/W
LIFE TIME:	30000 hrs
BEAM ANGLE:	120°
PRODUCT SIZE:	120*35mm/170*40mm/220*40mm/300*40mm
IP:	IP20
APPLICATION:	Home, Shop, Hotel...etc
WARRANTY:	3 years
STANDARD:	CE



2
YEARS
WARRANTY

20W 30W

BEAM ANGLE: 145°

20W VIDEO



30W VIDEO



NXLEDR-20 / NXLEDR-38

Color Temperature:



SPECIFICATION

IP44

PRODUCT NAME:	Round Aisle Light
MODEL NO.:	NXLEDR-20 / NXLEDR-38
SPECIFICATION:	220V~50HZ, 20W / 30W
WORKING TEMP:	-10~50(°C)
POWER FACTOR:	0.55
CRI(RA):	≥70 / ≥80
COLOR:	Silver / Golden / White / Black
LIGHT SOURCE:	SMD CHIP
LUMEN:	80-87LM / W
BEAM ANGLE:	145°
PRODUCT SIZE:	Φ200mm / Φ380mm
IP:	IP44
APPLICATION:	Kitchen, washroom, bedroom, aisle, balcony...etc.
WARRANTY:	2 years
STANDARD:	CQC

COB70-3CCT

Color Temperature:



3
YEARS
WARRANTY

12W 24W 48W

BEAM ANGLE: 24°

VIDEO



SPECIFICATION

IP20

PRODUCT NAME:	LED DOWNLIGHT
MODEL NO.:	COB70-3CCT 12W/24W/48W
SPECIFICATION:	AC220-240V, 50-60Hz, 12W/24W/48W
WORKING TEMP:	-20~50(°C)
POWER FACTOR:	>0.6
CRI(RA):	>80
COLOR:	White / Black
LIGHT SOURCE:	COB Chip
LUMEN:	85LM/W
LIFE TIME:	30000 hrs
BEAM ANGLE:	24°
ADJUSTABLE ANGLE:	360° Right to Left, 30° up and down
PRODUCT SIZE:	105*105*100mm / 205*105*100mm / 220*220*120mm
IP:	IP20
APPLICATION:	Home, Shop, hotel...etc
WARRANTY:	3 years
STANDARD:	CE



3
YEARS
WARRANTY



NX-HO-6W-EM2-SMT-3H

Color Temperature:



DURATION
180
mins

Discharge Duration



SPECIFICATION

IP20

PRODUCT NAME :	LED EMERGENCY LIGHT
MODEL NO. :	NX-HO-6W-EM2-SMT-3H
INPUT VOLTAGE :	AC80-279V
MAINS POWER :	6W Max
EMERGENCY POWER :	4W Max
WORKING TEMP :	0°C~45°C
POWER FACTOR :	>0.3
CRI(RA) :	>70
COLOR :	White color
LIGHT SOURCE :	Samsung Chip
LUMEN :	450 lm
LIFE TIME :	50000 hrs
CHARGE DURATION :	24 Hours
DISCHARGE DURATION :	3 Hours
BATTERY :	LifePO4 9.6V 1500mAh MT
BEAM ANGLE :	148°
PRODUCT SIZE :	140mm * 55.3mm
CUT OUT :	120mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel
WARRANTY :	3 years
STANDARD :	CE

NX-EM-RM1

Color Temperature:




DURATION
180
mins

Discharge Duration

SPECIFICATION

PRODUCT NAME :	LED EXIT SIGN
MODEL NO. :	NX-EM-RM1
INPUT VOLTAGE :	AC100V-270V
EMERGENCY POWER :	3.5W Max
WORKING TEMP :	1.5W Max
POWER FACTOR :	0°C~45°C
CRI(RA) :	>0.5
COLOR :	>80
LIGHT SOURCE :	White color
LUMEN :	San an
LIFE TIME :	Mains Luminous: 60lm, Emergency Luminous: 50lm
CHARGE DURATION :	30000 hrs
DISCHARGE DURATION :	24 Hours
BATTERY :	3 Hours
BEAM ANGLE :	NI-MH 3.6V 900mAH
PRODUCT SIZE :	30m
CUT OUT :	335*245*45mm
IP :	IP20
APPLICATION :	Shop, Hotel...
WARRANTY :	3 years
STANDARD :	CE CB

3
YEARS
WARRANTY




NX-EM-RS2.6W

Color Temperature:



DURATION
180
mins

Discharge Duration



SPECIFICATION

IP20

PRODUCT NAME :	LED Emergency Downlight
MODEL NO. :	NX-EM-RS2.6W
INPUT VOLTAGE :	AC145-270V
EMERGENCY POWER :	2.6W Max
WORKING TEMP :	0°C~45°C
POWER FACTOR :	>0.4
CRI(RA) :	>80
COLOR :	White Color
LIGHT SOURCE :	XPE leds 2x3W
LUMEN :	280 lm
LIFE TIME :	30000 hrs
CHARGE DURATION :	24 Hours
DISCHARGE DURATION :	3 Hours
BATTERY :	Li-ion 3.7V 3350mAh
BEAM ANGLE :	125mm * 40mm
PRODUCT SIZE :	
CUT OUT :	IP40
IP :	Shop, Hotel...
APPLICATION :	3 years
WARRANTY :	CE CB
STANDARD :	6500K

3
YEARS
WARRANTY



NXLEDR-38 EK

Color Temperature:



DURATION
240
mins

Discharge Duration

AC 220~ Voltage

2000 Lumens

-10~50(°C)

SPECIFICATION

IP44

PRODUCT NAME :	Round Ceiling Light With Emergency Kit
MODEL NO. :	NXLEDR-38 EK
SPECIFICATION :	220V~/50HZ ; 30W
WORKING TEMP :	-10~50°C
POWER FACTOR :	0.5
CRI(RA) :	≥80
COLOR :	White
LIGHT SOURCE :	2835
LUMEN :	2000LM
LIFE TIME :	8000-10000hrs
SELF POWERED :	240mins
BATTERY :	Lithium battery, 3.7V, 5A, 300 times life time
BEAM ANGLE :	145°
PRODUCT SIZE :	Φ380mm
IP :	IP44
APPLICATION :	Home, Shop, Hotel... etc
WARRANTY :	2 years
STANDARD :	CQC

2
YEARS
WARRANTY





3
YEARS
WARRANTY

CTL11-L

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL11-L 30W
SPECIFICATION :	AC100-240V, 50-60Hz, 800MA, 30W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.95
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	COB Chip
LUMEN :	80 LM / W
LIFE TIME :	30000 hrs
BEAM ANGLE :	30 °
PRODUCT SIZE :	90*150mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	3 years
STANDARD :	CE

VIDEO



30W



3
YEARS
WARRANTY

**ADJUSTABLE
FOCUSING**

CTL12

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL12 30W
SPECIFICATION :	AC100-240V, 50-60Hz, 30W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.95
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	COB Chip
LUMEN :	90 LM / W
LIFE TIME :	30000 hrs
BEAM ANGLE :	30 °
PRODUCT SIZE :	90*150mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall... etc
WARRANTY :	3 years
STANDARD :	CE

VIDEO



30W



3
YEARS
WARRANTY

CTL51

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL51 30W
SPECIFICATION :	AC220-240V, 50-60Hz, 30W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>90
COLOR :	Black / White
LIGHT SOURCE :	COB Chip
LUMEN :	100 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	110*85mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall...etc
WARRANTY :	3 years
STANDARD :	CE

VIDEO



30W



3
YEARS
WARRANTY

CTL52

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL52 30W
SPECIFICATION :	AC220-240V, 50-60Hz, 30W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>90
COLOR :	Black Color / White Color
LIGHT SOURCE :	COB Chip
LUMEN :	100LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	80*160mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall...etc
WARRANTY :	3 years
STANDARD :	CE

VIDEO



30W



5 YEARS
WARRANTY

CTL81

Color Temperature:



50000 Hours
80 LM / Watt
24° Beam Angle
IP20

SPECIFICATION

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL81 30W
SPECIFICATION :	AC220-240V, 50-60Hz, 30W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>90
COLOR :	White/Black
LIGHT SOURCE :	COB Chip
LUMEN :	80LM/W
LIFE TIME :	50000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	73*98*136mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall...etc
WARRANTY :	5 years
STANDARD :	CE

CTL82

Color Temperature:



50000 Hours
80 LM / Watt
24° Beam Angle
IP20

SPECIFICATION

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL82 30W
SPECIFICATION :	AC220-240V, 50-60Hz, 30W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>90
COLOR :	White/Black
LIGHT SOURCE :	COB Chip
LUMEN :	80LM/W
LIFE TIME :	50000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	73*98*136mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall...etc
WARRANTY :	5 years
STANDARD :	CE



5 YEARS
WARRANTY

CTL83

Color Temperature:



50000 Hours
80 LM / Watt
24° Beam Angle
IP20

SPECIFICATION

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL81 30W
SPECIFICATION :	AC220-240V, 50-60Hz, 30W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>90
COLOR :	White/Black
LIGHT SOURCE :	COB Chip
LUMEN :	80LM/W
LIFE TIME :	50000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	73*98*136mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall...etc
WARRANTY :	5 years
STANDARD :	CE

CTL84

Color Temperature:



50000 Hours
80 LM / Watt
24° Beam Angle
IP20

SPECIFICATION

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL81 30W
SPECIFICATION :	AC220-240V, 50-60Hz, 30W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>90
COLOR :	White/Black
LIGHT SOURCE :	COB Chip
LUMEN :	80LM/W
LIFE TIME :	50000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	73*98*136mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall...etc
WARRANTY :	5 years
STANDARD :	CE



3
YEARS
WARRANTY

CTL80

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL80 30W
SPECIFICATION :	AC220-240V, 50-60Hz, 30W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>80
COLOR :	White / Black
LIGHT SOURCE :	COB Chip
LUMEN :	80 LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	24 °
PRODUCT SIZE :	75*160mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall, etc
WARRANTY :	3 years
STANDARD :	CE

VIDEO



3
YEARS
WARRANTY

NX-TL02

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Track Light
MODEL NO. :	NX-TL02
SPECIFICATION :	220-240V;50/60Hz;140mA;30W
WORKING TEMP :	-20~40(°C)
POWER FACTOR :	0.9
CRI(RA) :	80
COLOR :	Black Color
LIGHT SOURCE :	Bridgelux
LUMEN :	3000LM (4000K) / 2850LM (3000K)
LIFE TIME :	30000H
BEAM ANGLE :	36 °
ADJUSTABLE ANGLE :	90 °
PRODUCT SIZE :	Φ80*H204mm
IP :	IP20
APPLICATION :	Home,Shop,Office,Exhibition hall,etc
WARRANTY :	3
STANDARD :	CE

VIDEO



5
YEARS
WARRANTY

CTL13

Color Temperature:



SPECIFICATION


PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL13 30W
SPECIFICATION :	AC220-240V, 50-60Hz, 30W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>90
COLOR :	Black
LIGHT SOURCE :	COB Chip
LUMEN :	100LM/W
LIFE TIME :	50,000Hrs
BEAM ANGLE :	20-50 ° Adjustable
PRODUCT SIZE :	80*176mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall, etc
WARRANTY :	5 years
STANDARD :	CE

VIDEO



NX-S09

Color Temperature:



SPECIFICATION

PRODUCT NAME :	
MODEL NO. :	
SPECIFICATION :	
WORKING TEMP :	
POWER FACTOR :	
CRI(RA) :	
MATERIAL :	
LIGHT SOURCE :	
LUMEN :	
LIFE TIME :	
BEAM ANGLE :	
PRODUCT SIZE :	
CUT :	
IP :	
APPLICATION :	
WARRANTY :	
STANDARD :	





NX-2835-6MM-U6

Color Temperature:



SPECIFICATION

PRODUCT NAME :	Neon LED Strip Light
MODEL NO. :	NX-2835-6MM-U6
SPECIFICATION :	AC220V; 7±15% W/M
WORKING TEMP :	-20°C~+40°C
POWER FACTOR :	>0.9
CRI(RA) :	>80
LIGHT SOURCE :	SMD 2835
LUMEN :	240 LM/M
LIFE TIME :	50000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	W:15mm * H:8mm
CUT :	1 Meter / Cut
IP :	IP65
APPLICATION :	Home, Shop, Hotel, Building...ect
WARRANTY :	2 years
STANDARD :	TUV, CE




NX-2835-8MM-U8

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Strip Light
MODEL NO. :	NX-2835-120led-220V-20R-8mm-U8
SPECIFICATION :	AC220V, 31mA~45mA, 7.5W/Meter
WORKING TEMP :	-20~+40(°C)
POWER FACTOR :	>0.9
CRI(RA) :	RA≥70
MATERIAL :	PVC
LIGHT SOURCE :	2835 SMD
LUMEN :	≥440 lm /M
LIFE TIME :	20000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	Width 11.5mm * height 5.5mm
CUT :	1meter /cut
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Building, Decoration...etc
WARRANTY :	2 years
STANDARD :	CE



NX-2835-14MM-U3

Color Temperature:



SPECIFICATION

PRODUCT NAME :	3 Lines LED Strip Light
MODEL NO. :	NX-2835-14MM-U6
SPECIFICATION :	AC220V; 9.5±15% Watt/M
WORKING TEMP :	-20°C~+40°C
POWER FACTOR :	>0.9
CRI(RA) :	>80
LIGHT SOURCE :	SMD 2835
LUMEN :	900-930 LM/M
LIFE TIME :	50000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	W:20mm * H:8mm
CUT :	0.5 Meter / Cut
IP :	IP65
APPLICATION :	Home, Shop, Hotel, Building...ect
WARRANTY :	2 years
STANDARD :	TUV, CE




NX-2835-12MM-U3

Color Temperature:



SPECIFICATION

PRODUCT NAME :	2 Lines LED Strip Light
MODEL NO. :	NX-2835-12MM-U3.RGB
SPECIFICATION :	AC220V; 8 Watt/M
WORKING TEMP :	-20°C~+40°C
LIGHT SOURCE :	SMD 2835
LIFE TIME :	50000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	W:17mm * H:7mm
CUT :	1 Meter / Cut
IP :	IP65
APPLICATION :	Home, Shop, Hotel, Building...ect
WARRANTY :	2 years
STANDARD :	TUV, CE



NX-COB420LED-10MM-11W

Color Temperature:



SPECIFICATION

PRODUCT NAME :	HV COB STRIP LIGHT
MODEL NO. :	NX-COB420LED-10MM-11W
SPECIFICATION :	AC220V 55mA, 11W
WORKING TEMP :	-10~60(°C)
POWER FACTORY :	0.90
CRI(RA) :	>90
MATERIAL :	TRANSPARENT PVC
LIGHT SOURCE :	SANGAN SMD
LUMEN :	500 lm
LIFE TIME :	30000 hrs
BEAM ANGLE :	180 °
PRODUCT SIZE :	Width 14mm* height 6mm
CUT SIZE :	0.5meter
IP :	IP65
APPLICATION :	Home, Shop, Hotel, Building, Decoration...etc
WARRANTY :	3 years
STANDARD :	CE



NX-SMD2835-120P-18MM-220V-Tunable

Color Temperature:



SPECIFICATION

PRODUCT NAME :	TUNABLE LED STRIP LIGHT
MODEL NO. :	NX-SMD2835-120P-18MM-220V-Tunable
SPECIFICATION :	AC220V 36mA, 8W
WORKING TEMP :	-20~40°C
CRI(RA) :	80
MATERIAL :	PVC
LIGHT SOURCE :	SMD2835
LUMEN :	500lm±10%
LIFE TIME :	20000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	Width 18mm* height 8mm
CUT SIZE :	1meter
IP :	IP65
APPLICATION :	Home, Shop, Hotel, Building, Decoration...etc
WARRANTY :	3 Years



NX-5050-80L-8MM-RGB

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED NEON LIGHT
MODEL NO. :	NX-5050-80L-8MM-RGB
SPECIFICATION :	AC220V, 8W
WORKING TEMP :	-20°C~40°C
MATERIAL :	PVC
LIGHT SOURCE :	5050
LIFE TIME :	20000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	Width 8mm* height 16mm
CUT SIZE :	1 meter
IP :	IP65
APPLICATION :	Home, Shop, Hotel, Building, Decoration...etc
WARRANTY :	3 Years
STANDARD :	CE



NX-2835-8MM-U8

Color Temperature:



SPECIFICATION

PRODUCT NAME :	2 Lines LED Strip Light
MODEL NO. :	NX-5730-12MM U3
SPECIFICATION :	AC220V; 10±15% W/M
WORKING TEMP :	-20°C-- +40°C
POWER FACTOR :	>0.9
CRI(RA) :	>80
LIGHT SOURCE :	SMD 5730
LUMEN :	700lm/M
LIFE TIME :	50000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	W:17mm* H:7mm
IP :	IP65
APPLICATION :	Home, Shop, Hotel, Building...etc
WARRANTY :	2 years
STANDARD :	TUV, CE



3
YEARS
WARRANTY

AQUA120

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Slim Tri-proof Light
MODEL NO. :	AQUA120-36W
SPECIFICATION :	AC180-265V 50/60Hz ; 36W
WORKING TEMP :	-20~45(°C)
POWER FACTOR :	0.5
CRI(RA) :	>80
COLOR :	White color
LIGHT SOURCE :	SMD2835 chip
LUMEN :	100 lm/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	180 °
PRODUCT SIZE :	600*57*35 mm / 1200*57*35 mm / 1500*57*35 mm
IP :	IP65
APPLICATION :	Mall, Parking Lot, Warehouse, Tunnel ...etc
WARRANTY :	2 Years
STANDARD :	CE

36W

NX-IP40-BT-36W

Color Temperature:



SPECIFICATION

PRODUCT NAME :	IP40 Batten Tube
MODEL NO. :	NX-IP40-BT-36W
SPECIFICATION :	AC180-265V ; 36W
WORKING TEMP :	-20~45(°C)
POWER FACTOR :	0.5
CRI(RA) :	>80
COLOR :	White color
LIGHT SOURCE :	SANAN SMD2835 chip
LUMEN :	91 lm / W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	IP40
IP :	1200*57*26mm
APPLICATION :	Home, Shop, Hotel ...etc
WARRANTY :	2 years
STANDARD :	CE


36W

VIDEO



LINER-04

Color Temperature:



SPECIFICATION

PRODUCT NAME :	Liteline Purification Light
MODEL NO. :	LINER-04 80W
SPECIFICATION :	AC220-240V, 50-60Hz, 80W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	Clear Cover
LIGHT SOURCE :	SMD Chip
LUMEN :	100LM/W
LIFE TIME :	30000 Hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	1200*75*30mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years
STANDARD :	CE

80W

VIDEO



3
YEARS
WARRANTY

NXL3004

LITESTAR

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Purification Light
MODEL NO. :	NXL3004 25W / 60W
SPECIFICATION :	AC170-265V, 50/60Hz; 225mA, 25W / 265mA, 60W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	25W: 0.5 / 60W: 0.95
CRI(RA) :	>80
COLOR :	White Color
LIGHT SOURCE :	SMD Chip
LUMEN :	96 lm / W
LIFE TIME :	25000 hrs
BEAM ANGLE :	120 °
PRODUCT SIZE :	600*57*45mm / 1200*57*45mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, School, Factory
WARRANTY :	3 years
STANDARD :	CE

25W 60W

VIDEO





5
YEARS
WARRANTY

NX3236-T

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Vapor Tight
MODEL NO. :	NX3236T
SPECIFICATION :	AC100-277V, 900mA, 36W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	0.9
CRI(RA) :	>85
COLOR :	White color
LIGHT SOURCE :	SMD2835
LUMEN :	100 lm/W
LIFE TIME :	50000 hrs
BEAM ANGLE :	180°
PRODUCT SIZE :	1220*100*75 mm
IP :	IP65
APPLICATION :	Garages, Workshops, Car parks... etc
WARRANTY :	5 years
STANDARD :	CE

VIDEO



2
YEARS
WARRANTY

NX-MFPL1-0606S-L600-18W

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED LINEAR LAMP
MODEL NO. :	NX-MFPL1-0606S-L600-18W
SPECIFICATION :	AC220-240V, 50/60Hz, 135mA, 18W
WORKING TEMP :	-10~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	100-110LM/W
LIFE TIME :	25000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	590*60*50mm
IP :	IP40
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	2 years
STANDARD :	CE

VIDEO



3
YEARS
WARRANTY

NX-112I-50W-TP


Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Triproof light
MODEL NO. :	NX-112I-50W-TP
SPECIFICATION :	AC220-240V, 1050mA, 50W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>80
COLOR :	Grey color with opal diffuser
LIGHT SOURCE :	MTC
LUMEN :	6500K(6000LM), 4000K(6000LM), 3000K(5600LM)
LIFE TIME :	50000 Hours
BEAM ANGLE :	120°
PRODUCT SIZE :	1200*70*62mm
IP :	IP65
APPLICATION :	Parking, Shop, Hotel, Warehouse...etc
WARRANTY :	3 years
STANDARD :	CE


VIDEO



3
YEARS
WARRANTY

PL18

Color Temperature:



SPECIFICATION

PRODUCT NAME :	LED Panel Light
MODEL NO. :	PL18 60W
SPECIFICATION :	AC220-240V, 50-60Hz, 60W
WORKING TEMP :	-20~50(°C)
POWER FACTOR :	>0.6
CRI(RA) :	>80
COLOR :	White
LIGHT SOURCE :	SMD Chip
LUMEN :	100LM/W
LIFE TIME :	30000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	595*595*10mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel...etc
WARRANTY :	3 years
STANDARD :	CE

VIDEO





2
YEARS
WARRANTY

25W 35W 45W 50W 60W

HP-NX


Color Temperature:



25000 Hours 90~100 LM / Watt 120° Beam Angle **IP20**

SPECIFICATION

PRODUCT NAME :	LED T Bulb
MODEL NO. :	HP-NX-25WATT 25W 2500LM 6500K E27
	HP-NX-35WATT 35W 3500LM 6500K E27
	HP-NX-45WATT 45W 4500LM 6500K E27
	HP-NX-50WATT 50W 5000LM 6500K E27
	HP-NX-65WATT 65W 6500LM 6500K E27
SPECIFICATION :	AC220-240V, 50/60Hz, 110mA, 25W; 140mA, 35W; 190mA, 45W; 220mA, 50W; 280mA, 65W
WORKING TEMP :	-10~40(°C)
POWER FACTOR :	0.9
CRI(RA) :	80
COLOR :	White
LIGHT SOURCE :	LED SMD Chip
LUMEN :	90~100 LM/W
LIFE TIME :	25000 hrs
BEAM ANGLE :	120°
PRODUCT SIZE :	100*164mm / 118*190mm / 140*215mm / 160*248mm / 160*248mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, etc
WARRANTY :	2 years
STANDARD :	CE



1
YEARS
WARRANTY

6.5W

NX-FA60-6.5W


Color Temperature:



15000 Hours 124 LM / Watt 300° Beam Angle **IP20**

SPECIFICATION

PRODUCT NAME :	LED Filaments
MODEL NO. :	NX-FA60-6.5W
SPECIFICATION :	100-240V, 50/60Hz, 72mA, 6.5W
WORKING TEMP :	-10~+40(°C)
POWER FACTOR :	0.9
CRI(RA) :	≥80
COLOR :	Clear
LIGHT SOURCE :	LED Filaments
LUMEN :	124 lm/W
LIFE TIME :	15000 hrs
BEAM ANGLE :	300°
PRODUCT SIZE :	D60mm*H106mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel
STANDARD :	CE
WARRANTY :	1 Year
LAMP HOLDER :	E27



1
YEARS
WARRANTY

6.5W

NX-FST64-6.5W

Color Temperature:



15000 Hours 110 LM / Watt 300° Beam Angle **IP20**

SPECIFICATION

PRODUCT NAME :	LED Filaments
MODEL NO. :	NX-FST64-6.5W
SPECIFICATION :	100-240V, 50/60Hz, 72mA, 6.5W
WORKING TEMP :	-10~+40(°C)
POWER FACTOR :	0.9
CRI(RA) :	80
COLOR :	Amber
LIGHT SOURCE :	LED Filaments
LUMEN :	110 lm /W
LIFE TIME :	15000 hrs
BEAM ANGLE :	300°
PRODUCT SIZE :	D64*H143
IP :	IP20
APPLICATION :	Home, Shop, Hotel
STANDARD :	CE
WARRANTY :	1 Year
LAMP HOLDER :	E27



1
YEARS
WARRANTY

6.5W

NX-FG80-6.5W

Color Temperature:



15000 Hours 110 LM / Watt 300° Beam Angle **IP20**

SPECIFICATION

PRODUCT NAME :	LED Filaments
MODEL NO. :	NX-FG80-6.5W
SPECIFICATION :	100-240V, 50/60Hz, 72mA, 6.5W
WORKING TEMP :	-10~+40(°C)
POWER FACTOR :	0.9
CRI(RA) :	80
COLOR :	Amber
LIGHT SOURCE :	LED Filaments
LUMEN :	720 lm
LIFE TIME :	15000 hrs
BEAM ANGLE :	300°
PRODUCT SIZE :	D80*H119
IP :	IP20
APPLICATION :	Home, Shop, Hotel
STANDARD :	CE
WARRANTY :	NO
LAMP HOLDER :	E27

VIDEO



TRL-01 SERIES



SPECIFICATION

Product Name :	Track Light Rail
Model NO. :	TLR-01
Input Voltage :	220~240V, 50-60Hz
Color :	White / Black Color
Product Size :	1000*25*20mm / 2000*25*20mm
Application :	Used for track light
Standard :	CE



Model NO. :	CTL91 18W
Size :	440*22*45mm
Model NO. :	CTL91 24W
Size :	600*22*45mm



Model NO. :	CTL92 12W
Size :	220*22*45mm
Model NO. :	CTL92 18W
Size :	330*22*45mm
Model NO. :	CTL92 24W
Size :	440*22*45mm



Model NO. :	CTL93 12W
Size :	220*22*45mm
Model NO. :	CTL93 18W
Size :	330*22*45mm
Model NO. :	CTL93 24W
Size :	440*22*45mm



Model NO. :	CTL94 12W
Size :	110*22*110mm
Model NO. :	CTL94 24W
Size :	220*22*110mm



Model NO. :	CTL95 6W
Size :	110*22*110mm
Model NO. :	CTL95 12W
Size :	220*22*110mm



Model NO. :	CTL96 9W
Size :	45*100mm
Model NO. :	CTL96 18W
Size :	55*115mm
Model NO. :	CTL96 25W
Size :	65*135mm



Model NO. :	CTL97 10W
Size :	95*30mm



Model NO. :	CTL98 7W
Size :	40*300mm
Wire :	1.5m



Model NO. :	CTL99 10W
Size :	50*100mm
Wire :	65mm

Color Temperature:



IP20


SPECIFICATION



Product Name :	LED Magnetic Track Light
Specification :	DC48V
Working Temp. :	-20~50°C
Power Factor :	>0.6
CRI(ra) :	> 80
Color :	Black Color

IP20

Lumen :	80 LM/W
IP :	IP20
Application :	Hotel / Mall / Supermarket / Workshop / Home / Office
Warranty :	3 Years
Standard :	CE

MTR-04 SERIES



 Model NO.: MTR-04-CTL101 10W Size: 315*26*24mm Model NO.: MTR-04-CTL101 20W Size: 615*26*24mm	 Model NO.: MTR-04-CTL102 6W Size: 122*26*24mm Model NO.: MTR-04-CTL102 12W Size: 230*26*24mm Model NO.: MTR-04-CTL102 18W Size: 338*26*24mm	 Model NO.: MTR-04-CTL103 6W Size: 122*26*80mm Model NO.: MTR-04-CTL103 12W Size: 230*26*80mm
 Model NO.: MTR-04-CTL104 5W Size: 122*26*80mm Model NO.: MTR-04-CTL104 10W Size: 230*26*80mm	 Model NO.: MTR-04-CTL105 6W Size: 122*26*55mm	 Model NO.: MTR-04-CTL106 6W Size: 80*75mm
 Model NO.: MTR-04-CTL107 18W Size: 55*138mm	 Model NO.: MTR-04-CTL109 6W Size: 30*310mm	 Model NO.: MTR-04-CTL110 16W Size: 1000*26mm

Color Temperature:



SPECIFICATION

Product Name:	LED Magnetic Track Light
Specification:	DC48V
Working Temp:	-20~50°C
Power Factor:	>0.6
CRI(ra):	> 80
Color:	Black Color

Lumen:	80 LM/W
IP:	IP20
Application:	Hotel / Mall / Supermarket / Workshop / Home / Office
Warranty:	3 Years
Standard:	CE